#1 - Bid Date: ASAP

Project Name:
, ON CAN

Architect:
Engineer:
Customer:

Job Type: Lump Sum

ESTIMATED BY CLOUDREBAR TECH
Estimator: CLOUD
Creation Date: 09-07-2025
Last Modified: 20-03-2026
Status: Complete

Escalation: No

Cover Page Comments:

1. SCOPE OF WORK - AS SEGMENTED BELOW

2. TYPE OF REBAR.
A. REBAR GRADE---- 400
B. STAINLESS------ N/A
C. GFRP---------- N/A
D. GALVANIZE------ 400
E. EPOXY--------- N/A

3. SPECIAL INCLUSIONS:
CONNECTOR -- DIA -- COATING -- QTY
CONNECTOR -- 25M -- BLACK -- 300 Pcs
CONNECTOR -- 20M -- BLACK -- 100 Pcs

THREADED BARS: (DIA -- LENGTH -- QTY -- COATING)
THREADED BARS -- 25M --1150mm --- 150 Pcs -- BLACK
THREADED BARS -- 25M -- 750mm --- 150 Pcs -- BLACK

THREADED BARS -- 20M -- 1000mm --- 20 Pcs -- BLACK
THREADED BARS -- 20M --1000mm --- 80 Pcs -- BLACK

THREADED BARS -- 20M -- 1117mm --- 340 Pcs -- GALVANIZED

4. SPECIAL EXCLUSIONS:
A. ALL EXTERIOR WORKS ARE EXCLUDED
B. ANY DWLS IN/OUT FROM PRECAST.
C. ALL PRECAST ELEMENTS ARE EXCLUDED.
D. ALL WELDED DOWELS FROM STEEL STRUCTURES ARE EXCLUDED.
E. THE CAISSIONS ARE EXCLUDED.

5. OTHER NOTES FOR DETAILRS...PRODUCTION...INSTALATION:
A. PLACING STANDEES (NEW PIER P1&P5 PILE CAP) - 286 KGS

6. MASONRY R/F: N/A

7. SOG: N/A

8. EXTERIOR WORK: N/A

9. ASSUMPTIONS:
A. THE PIER ELEVATION AND DIMENSION DETAILS ARENOT CLEAR SO WE MEASURED AND FOLLOWED AS PER DWG. S-121 TO S-126.
B. THE THREAD NOTES SHOWN IN GRAB BARS SO WE ASSUMED IT TO BE A THREADED BAR AND ALSO THE COUPLER FOR THIS BAR IS EXCLUDED.

10. DETAILING:
****
INCLUDED SEGMENT WEIGHT:
BLACK BAR WEIGHT: 200344 KGS .....200.344 MT
GALVANIZED BAR WEIGHT: 863 KGS .....0.863 MT
GRAND TOTAL WEIGHT: 201207 KGS .....201.207 MT

EXCLUDED SEGMENTWEIGHT:
BLACK BAR WEIGHT: 286 KGS ....0.286 MT

Drawing References:

A. STRUCTURAL DRAWINGS:
S-100 - ISSUED FOR ADDENDUM NO:5 - DATED: 25/07/08
S-101, S-102, S-107, S-108, S-110, S-111, S-112, S-113, S-114, S-115,
S-116, S-117, S-118, S-119, S-121, S-122, S-123, S-124, S-125, S-126,
S-131, S-132, S-146, S-147, S-148, S-149, S-150, S-154, S-158,

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

S-165 - ISSUED FOR ADDENDUM NO:2- DATED: 25/06/05
S-103, S-104, S-105, S-106, S-109, S-120, S-127, S-130, S-135, S-136,
S-137, S-138, S-139, S-140, S-141, S-142, S-143, S-144, S-145, S-151,
S-152, S-153, S-155, S-156, S-157, S-159, S-160, S-161, S-162,
S-163- ISSUED FOR TENDER - DATED: 25/05/01
S-128, S-129, S-133, S-134 - ISSUED FOR ADDEDDUMNO:4 - DATED: 25/06/26

B. SPECIFICATIONS (DIV.03): SEEN

C.TENDER DOCUMENT: NOT SEEN

D. ADDENDUMS LIST AS:
ADDENDUM #1 -- SEEN -- DATED:JUNE 02, 2025
ADDENDUM #2 -- SEEN -- DATED: JUNE 12, 2025
ADDENDUM #3 -- SEEN -- DATED: JUNE 25, 2025
ADDENDUM #4 -- SEEN -- DATED: JULY 03, 2025
ADDENDUM #5 -- SEEN -- DATED: JULY 09, 2025
ADDENDUM #6 -- SEEN -- DATED: JULY 10, 2025
ADDENDUM #7 -- REBAR NOT AEECTED -- DATED: JULY 17, 2025

E. REBAR SCOPEIN ARCHITECTURAL, LANDSCAPE, ELETRICAL & MECHNICAL DRAWINGS ARE NOT SEEN.

Segment Summary

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Kgs)	Costing
Included Segments:					
ITEM NO: D11	**48,749**	**0**	**0**	**48,749**	**No**
PILE CAP - 1	13,520	0	0	13,520	No
PILE CAP - 5	12,064	0	0	12,064	No
PIER - P1	11,072	0	0	11,072	No
PIER - P1 - GALV	147	0	0	147	No
PIER - P5	11,767	0	0	11,767	No
PIER - P5 - GALV	179	0	0	179	No
ITEM NO: D10	**0**	**0**	**0**	**0**	**No**
COUPLER - PIER 1	0	0	0	0	No
COUPLER - PIER P5	0	0	0	0	No
ITEM NO: D20	**21,615**	**0**	**0**	**21,615**	**No**
EX P1/NEW P2 FOOTING	6,352	0	0	6,352	No
EX P2/NEW P3 FOOTING	7,473	0	0	7,473	No
EX P3/NEW P4 FOOTING	7,790	0	0	7,790	No
ITEM NO: D21	**0**	**0**	**0**	**0**	**No**
COUPLER - EX P1/NEW P2	0	0	0	0	No
COUPLER - EX P2/NEW P3	0	0	0	0	No
COUPLER - EX P3/NEW P4	0	0	0	0	No
ITEM NO: D25	**50,092**	**0**	**0**	**50,092**	**No**
EX P1/NEW P2	16,539	0	0	16,539	No
EX P1/NEW P2 - GALV	179	0	0	179	No
EX P2/NEW P3	16,477	0	0	16,477	No
EX P2/NEW P3 - GALV	179	0	0	179	No
EX P3/NEW P4	16,539	0	0	16,539	No
EX P3/NEW P4 - GALV	179	0	0	179	No
ITEM NO: D53	**14,016**	**0**	**0**	**14,016**	**No**
DECK SPAN - 1	4,391	0	0	4,391	No
DECK SPAN - 1 - CURB	2,691	0	0	2,691	No
DECK SPAN - 6	4,391	0	0	4,391	No
DECK SPAN - 6 - CURB	2,543	0	0	2,543	No

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment	Rebar Wgt	Plain Wgt	Misc. Wgt	Total (Kgs)	Costing
ITEM NO: D54	**22,519**	**0**	**0**	**22,519**	**No**
DECK SPAN - 2	7,485	0	0	7,485	No
DECK SPAN - 2 - CURB	3,775	0	0	3,775	No
DECK SPAN - 5	7,485	0	0	7,485	No
DECK SPAN - 5 - CURB	3,774	0	0	3,774	No
ITEM NO: D55	**28,073**	**0**	**0**	**28,073**	**No**
DECK SPAN - 3	9,479	0	0	9,479	No
DECK SPAN - 3 - CURB	4,557	0	0	4,557	No
DECK SPAN - 4	9,479	0	0	9,479	No
DECK SPAN - 4 CURB	4,558	0	0	4,558	No
ITEM NO: D26	**16,143**	**0**	**0**	**16,143**	**No**
DRILL DWLS INTO EXIST. STRUCTURE	16,143	0	0	16,143	No
Excluded Segments:					
STANDEE	**286**	**0**	**0**	**286**	**No**

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Estimate Defaults

Size Unit:	Metric	**Building Code:**	ACI 1983
Length Unit:	Millimeters	**Concrete Strength:**	25
Weight Unit:	Kilograms	**Lap Table:**	
Soft Hooks:	No	**Estimating Lap:**	40D
Seismic Hooks:	No	**Steel Manufactured In:**	ANY
		Tie Clearance:	40
		Spiral Clearance:	80
		Spacing Tolerance:	0
Rebar Coating:	Black	**Rebar Grade:**	400
Plain Coating:	Black	**Plain Grade:**	400

Number of lap lengths to extend a stock bar before lapping: 1

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Kgs	Notes
1	GI	Segment: ITEM NO: D11 Sub-Segment: PILE CAP - 1																	
2	MT	PIER P1 FOUNDATION - REF DWG: S-110																	
3	MT	CASISSION/PILE - TOP TIES																	
4	TR	TA		400	6			24	15M	L	450	475		40	0			409	TIES
5	TR	BF		400	64				30M	H	20D	900	5100	900	20D			2,849	U BAR BLL
6	TR	BF		400	26				30M	H	20D	900	10300	900	20D			2,072	U BAR BUL
7	TR	BF		400	6				20M	H	30800	8S90	80D					482	SIDE FACE BAR
8	TR	BF		400		5100	150	2	20M	H	S90	1800	S90					369	SW ES U BAR
9	TR	BF		400		10300	150	2	20M	H	S90	1800	S90					739	LW ES U BAR
10	TR	BF		400		10300	150	2	20M	H	40D	1200	40D					910	SW TOP U BAR ES
11	TR	BF		400		2750	150	2	20M	H	40D	2200	40D					354	LW TOP U BAR ES
12	TR	BF		400		10300	150		20M	H	20D	900	5100	900	20D			1,266	SW TOP U BAR
13	TR	BF		400		5100	150		20M	S	20D	900	10300	900	20D			1,126	LW TOP U BAR
14	TR	BF		400	1			6	30M	H	3700	10S90						287	1 SET 30M BAR SW
15	TR	BF		400	1			4	30M	H	10300	40D	14S90					407	1 SET 30M LW
16	MT	REF SEC: A/S-119																	
17	TR	BF		400		17300	150		30M	H	S90	1800	40D					2,250	PIER DWLS
18	GI	Segment: ITEM NO: D11 Sub-Segment: PILE CAP - 5																	
19	MT	PIER P5 FOUNDATION - REF DWG: S-111																	
20	MT	CASISSION/PILE - TOP TIES																	
21	TR	TA		400	6			18	15M	L	450	475		40	0			307	TIES
22	TR	BF		400	64				30M	H	20D	900	4150	900	20D			2,514	U BAR BLL
23	TR	BF		400	20				30M	H	20D	900	10300	900	20D			1,594	U BAR BUL
24	TR	BF		400	6				20M	H	28900	8S90	80D					455	SIDE FACE BAR
25	TR	BF		400		4150	150	2	20M	H	S90	1800	S90					306	SW ES U BAR
26	TR	BF		400		10300	150	2	20M	H	S90	1800	S90					739	LW ES U BAR
27	TR	BF		400		10300	150	2	20M	H	40D	1200	40D					910	SW TOP U BAR ES
28	TR	BF		400		2750	150	2	20M	H	40D	2200	40D					354	LW TOP U BAR ES
29	TR	BF		400		10300	150		20M	H	20D	900	4150	900	20D			1,109	SW TOP U BAR
30	TR	BF		400		4150	150		20M	S	20D	900	10300	900	20D			933	LW TOP U BAR
31	TR	BF		400	1			6	30M	H	3700	10S90						287	1 SET 30M BAR SW
32	TR	BF		400	1			3	30M	H	10300	40D	14S90					305	1 SET 30M LW
33	MT	REF SEC: A/S-120																	
34	TR	BF		400		17400	150		30M	H	S90	1800	40D					2,250	PIER DWLS
35	GI	Segment: ITEM NO: D11 Sub-Segment: PIER - P1																	
36	MT	PIER P1 - REF DWG: S-119																	
37	MT	TOF PILE CAP 297.564 - TOF PIER - 305.099																	
38	TR	BF		400		17300	150		35M	S	7550							6,934	VERT
39	TR	BF		400		7550	200		25M	H	17300	4S90						2,893	HOR
40	MT	TOP OF PIER - REF SEC: 1/S-119																	
41	TR	RA		400		150	150		20M	S	5800	2300				40D	9000	449	EW
42	TR	BF		400		15200	150		20M	H	S90	500	S90					228	U BAR SIDE
43	TR	BF		400	3				20M	H	15200	8S90						120	PERIMETER SIDE BAR
44	MT	PEDESTAL - REF SEC: 2/S-119																	
45	TR	BF		400	5			2	20M	S	500							12	CONNECTOR BAR ES
46	TR	BF		400	5			2	20M	S	1000							24	TH BAR ES
47	TR	BF		400		1350	150	2	20M	S	500							24	CONNECTOR BAR ES
48	TR	BF		400		1350	150	2	20M	S	1000							47	TH BAR ES
49	TR	BF		400		1000	150		20M	H	9150	4S90						189	HOR
50	TR	BF		400	5			2	20M	H	40D	40D						37	EDGE LBAR
51	TR	BF		400	1			2	20M	S	750							4	1 ADD TOP ES
52	TR	BF		400	4			2	20M	S	750							14	4 TOP EE
53	TR	BF		400		1650	150		20M	H	S90	750	S90					34	TOP U BAR
54	TR	BF		400	5				20M	S	3825							45	TOP LW BAR
55	TR	BF		400	2				20M	S	3825							18	TOP LW BAR
56	GI	Segment: ITEM NO: D11 Sub-Segment: PIER - P1 - GALV																	
57	MT	GRAB BARS																	
58	TR	BF		G400	14			2*2	20M	H	381	203	533					147	L SHAPE ES TH BAR
59	GI	Segment: ITEM NO: D10 Sub-Segment: COUPLER - PIER 1																	

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Kgs	Notes
60	MT	PEDESTAL - REF SEC: 2/S-119																	
61	TI	Pcs			5		2		CONNECTOR - 20M - BLACK									0	
62	TI	Pcs			20		2		CONNECTOR - 20M - BLACK									0	
63	GI	Segment: ITEM NO: D11 Sub-Segment: PIER - P5																	
64	MT	PIER P5 - REF DWG: S-120																	
65	MT	TOF PILE CAP 296.715 - TOF PIER - 304.781																	
66	TR	BF		400		17400	150		35M	S	8100							7,439	VERT
67	TR	BF		400		8100	200		25M	H	17400	4S90						3,132	HOR
68	MT	TOP OF PIER - REF SEC: 1/S-120																	
69	TR	RA		400		150	150		20M	S	5300	2300				40D	9000	412	EW
70	TR	BF		400		15200	150		20M	H	S90	450	S90					216	U BAR SIDE
71	TR	BF		400	3				20M	H	15200	8S90						120	PERIMETER SIDE BAR
72	MT	PEDESTAL - - REF SEC: 2/S-120																	
73	TR	BF		400	5			2	20M	S	500							12	CONNECTOR BAR ES
74	TR	BF		400	5			2	20M	S	1000							24	TH BAR ES
75	TR	BF		400		1350	150	2	20M	S	500							24	CONNECTOR BAR ES
76	TR	BF		400		1350	150	2	20M	S	1000							47	TH BAR ES
77	TR	BF		400		1000	150		20M	H	9150	4S90						189	HOR
78	TR	BF		400	5			2	20M	H	40D	40D						37	EDGE LBAR
79	TR	BF		400	1			2	20M	S	750							4	1 ADD TOP
80	TR	BF		400	4			2	20M	S	750							14	4 ADD TOP
81	TR	BF		400		1650	150		20M	H	S90	750	S90					34	TOP U BAR
82	TR	BF		400	5				20M	S	3825							45	TOP LW BAR
83	TR	BF		400	2				20M	S	3825							18	TOP LW BAR
84	GI	Segment: ITEM NO: D11 Sub-Segment: PIER - P5 - GALV																	
85	MT	GRAB BARS																	
86	TR	BF		G400	17			2*2	20M	H	381	203	533					179	L SHAPE ES TH BAR
87	GI	Segment: ITEM NO: D10 Sub-Segment: COUPLER - PIER P5																	
88	MT	PEDESTAL - - REF SEC: 2/S-120																	
89	TI	Pcs			5		2		CONNECTOR - 20M - BLACK									0	
90	TI	Pcs			20		2		CONNECTOR - 20M - BLACK									0	
91	GI	Segment: ITEM NO: D20 Sub-Segment: EX P1/NEW P2 FOOTING																	
92	MT	EXISTING PIER No. 1/NEW PIER No. 2 - REF DWG: S-112																	
93	MT	FOOTING																	
94	TR	BF		400		27150	600		25M	S	1150							212	TH BAR
95	TR	BF		400		27150	600		25M	S	750							138	TH BAR
96	TR	BF		400	2			4	25M	S	1500							47	TH BAR
97	TR	BF		400		39000	300		20M	H	S90	1525	40D					779	PERIMETER L DWLS
98	TR	BF		400		39000	300		20M	H	2550	1850						1,357	PERIMETER L DWLS
99	TR	LS		400	4				20M	S	39000				1	40D	9000	397	BOT CONT
100	TR	BF		400	4			4	20M	H	40D	40D						59	COR
101	TR	LS		400	2				20M	S	11150				1	40D	9000	56	BOT B SEC EXTRA
102	TR	LS		400	11				20M	S	39000				1	40D	9000	1,091	TOP CONT
103	TR	BF		400	11			4	20M	H	40D	40D						162	COR
104	TR	LS		400	1				20M	S	27150				1	40D	9000	69	DRILL DWLS HOLD
105	TR	BF		400	276				20M	H	S90	300	400					598	DRILL DWLS
106	TR	BF		400	5			4	20M	H	S90	1525	40D					119	PERIMETER L DWLS
107	TR	BF		400	5			4	20M	H	2550	1850						207	PERIMETER L DWLS
108	TR	LS		400	4				20M	H	39000				1	40D	9000	397	CONT
109	TR	BF		400	4			4	20M	H	40D	40D						59	COR
110	TR	BF		400	2				20M	H	S90	1525	40D					12	CUTWATER
111	TR	BF		400	2				20M	H	2550	1850						21	CUT WATER
112	TR	BF		400		27150	300		20M	S	40D	1850						570	DWLS
113	GI	Segment: ITEM NO: D21 Sub-Segment: COUPLER - EX P1/NEW P2																	
114	MT	EXISTING PIER No.1/NEW PIER No.2 - REF DWG: S-112																	
115	TI	Pcs			92				CONNCETOR - 25M - BLACK									0	
116	TI	Pcs			8				CONNCETOR - 25M - BLACK									0	
117	GI	Segment: ITEM NO: D20 Sub-Segment: EX P2/NEW P3 FOOTING																	
118	MT	EXISTING PIER No. 2/NEW PIER No. 3 - REF DWG: S-113																	

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Kgs	Notes
119	TR	BF		400		27150	600		25M	S	1150							212	TH BAR
120	TR	BF		400		27150	600		25M	S	750							138	TH BAR
121	TR	BF		400	2			4	25M	S	1500							47	TH BAR
122	TR	BF		400		39000	300		20M	H	S90	2135	40D					967	PERIMETER L DWLS
123	TR	BF		400		39000	300		20M	H	2550	1850						1,357	PERIMETER L DWLS
124	TR	LS		400	6				20M	S	39000				1	40D	9000	595	BOT CONT
125	TR	BF		400	6			4	20M	H	40D	40D						88	COR
126	TR	LS		400	2				20M	S	11150				1	40D	9000	56	BOT B SEC EXTRA
127	TR	LS		400	13				20M	S	39000				1	40D	9000	1,290	TOP CONT
128	TR	BF		400	13			4	20M	H	40D	40D						191	COR
129	TR	LS		400	1				20M	S	27150				1	40D	9000	69	DRILL DWLS HOLD
130	TR	BF		400	483				20M	H	S90	300	400					1,046	DRILL DWLS
131	TR	BF		400	5			4	20M	H	S90	2135	40D					148	PERIMETER L DWLS
132	TR	BF		400	5			4	20M	H	2550	1850						207	PERIMETER L DWLS
133	TR	LS		400	4				20M	H	39000				1	40D	9000	397	CONT
134	TR	BF		400	4			4	20M	H	40D	40D						59	COR
135	TR	BF		400	2				20M	H	S90	2135	40D					15	CUTWATER
136	TR	BF		400	2				20M	H	2550	1850						21	CUT WATER
137	TR	BF		400		27150	300		20M	S	40D	1850						570	DWLS
138	GI	Segment: ITEM NO: D21 Sub-Segment: COUPLER - EX P2/NEW P3																	
139	MT	EXISTING PIER No.2/NEW PIER No.3 - REF DWG: S-113																	
140	TI	Pcs			92				CONNCETOR - 25M - BLACK									0	
141	TI	Pcs			8				CONNCETOR - 25M - BLACK									0	
142	GI	Segment: ITEM NO: D20 Sub-Segment: EX P3/NEW P4 FOOTING																	
143	MT	EXISTING PIER No. 3/NEW PIER No. 4 - REF DWG: S-114																	
144	TR	BF		400		27150	600		25M	S	1150							212	TH BAR
145	TR	BF		400		27150	600		25M	S	750							138	TH BAR
146	TR	BF		400	2			4	25M	S	1500							47	TH BAR
147	TR	BF		400		39000	300		20M	H	S90	2135	40D					967	PERIMETER L DWLS
148	TR	BF		400		39000	300		20M	H	2550	1850						1,357	PERIMETER L DWLS
149	TR	LS		400	8				20M	S	39000				1	40D	9000	794	BOT CONT
150	TR	BF		400	8			4	20M	H	40D	40D						118	COR
151	TR	LS		400	2				20M	S	11150				1	40D	9000	56	BOT B SEC EXTRA
152	TR	LS		400	13				20M	S	39000				1	40D	9000	1,290	TOP CONT
153	TR	BF		400	13			4	20M	H	40D	40D						191	COR
154	TR	LS		400	2				20M	H	11150			4S90	1	40D	9000	60	TOP CONT
155	TR	BF		400	2			4	20M	H	40D	40D						29	COR
156	TR	LS		400	1				20M	S	27150				1	40D	9000	69	DRILL DWLS HOLD
157	TR	BF		400	483				20M	H	S90	300	400					1,046	DRILL DWLS
158	TR	BF		400	5			4	20M	H	S90	2135	40D					148	PERIMETER L DWLS
159	TR	BF		400	5			4	20M	H	2550	1850						207	PERIMETER L DWLS
160	TR	LS		400	4				20M	H	39000				1	40D	9000	397	CONT
161	TR	BF		400	4			4	20M	H	40D	40D						59	COR
162	TR	BF		400	2				20M	H	S90	2135	40D					15	CUTWATER
163	TR	BF		400	2				20M	H	2550	1850						21	CUT WATER
164	TR	BF		400		27150	300		20M	S	40D	1850						570	DWLS
165	GI	Segment: ITEM NO: D21 Sub-Segment: COUPLER - EX P3/NEW P4																	
166	MT	EXISTING PIER No. 3/NEW PIER No.4 - REF DWG: S-114																	
167	TI	Pcs			92				CONNCETOR - 25M - BLACK									0	
168	TI	Pcs			8				CONNCETOR - 25M - BLACK									0	
169	GI	Segment: ITEM NO: D25 Sub-Segment: EX P1/NEW P2																	
170	MT	EXISTING PIER No. 1/NEW PIER No. 2 - REF DWG: S-121																	
171	MT	REF SEC: F/S-121																	
172	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF
173	TR	LS		400		1850	200	2	20M	H	27150	10S90			1	40D	9000	1,642	H EF
174	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
175	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
176	MT	REF SEC: E/S-121																	
177	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Kgs	Notes
178	TR	BF		400		27150	300	2	20M	S	3200							1,387	VER EF
179	TR	LS		400		3200	200	2	20M	H	27150	10S90			1	40D	9000	2,537	H EF
180	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
181	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
182	MT	REF SEC: D/S-121																	
183	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF
184	TR	BF		400		16750	300	2	20M	S	8000							2,148	VER
185	TR	LS		400		7550	200	2	20M	H	16750	8S90			1	40D	9000	3,687	H EF
186	TR	LS		400	3			2	20M	H	2100	2S90			1	40D	9000	36	H EF
187	MT	REF SEC: 1/S-121 - TOP OF PIER																	
188	TR	RA		400		300	300		20M	S	5750	3350				40D	9000	342	EW
189	TR	BF		400		18200	150		20M	H	S90	500	S90					272	U BAR SIDE
190	TR	BF		400	3			2	20M	H	18200	8S90						282	H EF ADDL
191	MT	REF SEC: 2/S-121 - BEARINGS																	
192	TR	BF		400	2			2	20M	H	S90	1125	S90					15	U BAR ES
193	TR	BF		400	4			2	20M	S	1125							21	TLL ES
194	TR	BF		400	2			2	20M	H	457	305	565	20D				16	L BAR ES
195	TR	BF		400		1150	150	2	20M	H	457	305	565	20D				73	L BAR ES
196	TR	BF		400	5				20M	S	3925							46	TOP LW BAR
197	TR	BF		400	5				20M	S	3925							46	TOP SHORT BAR LW
198	GI	Segment: ITEM NO: D25 Sub-Segment: EX P1/NEW P2 - GALV																	
199	MT	GRAB BARS																	
200	TR	BF		G400	17			2*2	20M	H	381	203	533					179	L SHAPE ES TH BAR
201	GI	Segment: ITEM NO: D25 Sub-Segment: EX P2/NEW P3																	
202	MT	EXISTING PIER No. 2/NEW PIER No. 3 - REF DWG: S-123																	
203	MT	REF SEC: F/S-121																	
204	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF
205	TR	LS		400		1850	200	2	20M	H	27150	10S90			1	40D	9000	1,642	H EF
206	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
207	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
208	MT	REF SEC: E/S-121																	
209	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF
210	TR	BF		400		27150	300	2	20M	S	3200							1,387	VER EF
211	TR	LS		400		3200	200	2	20M	H	27150	10S90			1	40D	9000	2,537	H EF
212	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
213	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
214	MT	REF SEC: D/S-121																	
215	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF
216	TR	BF		400		16750	300	2	20M	S	8000							2,148	VER
217	TR	LS		400		7550	200	2	20M	H	16750	8S90			1	40D	9000	3,687	H EF
218	TR	LS		400	3			2	20M	H	2100	2S90			1	40D	9000	36	H EF
219	MT	REF SEC: 1/S-121 - TOP OF PIER																	
220	TR	RA		400		300	300		20M	S	5750	3350				40D	9000	342	EW
221	TR	BF		400		18200	150		20M	H	S90	500	S90					272	U BAR SIDE
222	TR	BF		400	3			2	20M	H	18200	8S90						282	H EF ADDL
223	TR	BF		400	3			2	20M	S	3350							47	TOP SW
224	TR	BF		400	4			2	20M	S	5750							108	TOP LW
225	GI	Segment: ITEM NO: D25 Sub-Segment: EX P2/NEW P3 - GALV																	
226	MT	GRAB BARS																	
227	TR	BF		G400	17			2*2	20M	H	381	203	533					179	L SHAPE ES TH BAR
228	GI	Segment: ITEM NO: D25 Sub-Segment: EX P3/NEW P4																	
229	MT	EXISTING PIER No. 3/NEW PIER No. 4 - REF DWG: S-125																	
230	MT	REF SEC: F/S-121																	
231	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF
232	TR	LS		400		1850	200	2	20M	H	27150	10S90			1	40D	9000	1,642	H EF
233	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
234	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
235	MT	REF SEC: E/S-121																	
236	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Kgs	Notes
237	TR	BF		400		27150	300	2	20M	S	3200							1,387	VER EF
238	TR	LS		400		3200	200	2	20M	H	27150	10S90			1	40D	9000	2,537	H EF
239	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
240	TR	LS		400	1			2	20M	H	27150	10S90			1	40D	9000	149	H EF
241	MT	REF SEC: D/S-121																	
242	TR	BF		400		27150	300	2	20M	H	40D	1050	40D					1,131	Z DWLS EF
243	TR	BF		400		16750	300	2	20M	S	8000							2,148	VER
244	TR	LS		400		7550	200	2	20M	H	16750	8S90			1	40D	9000	3,687	H EF
245	TR	LS		400	3			2	20M	H	2100	2S90			1	40D	9000	36	H EF
246	MT	REF SEC: 1/S-121 - TOP OF PIER																	
247	TR	RA		400		300	300		20M	S	5750	3350				40D	9000	342	EW
248	TR	BF		400		18200	150		20M	H	S90	500	S90					272	U BAR SIDE
249	TR	BF		400	3			2	20M	H	18200	8S90						282	H EF ADDL
250	MT	REF SEC: 2/S-121 - BEARINGS																	
251	TR	BF		400	2			2	20M	H	S90	1125	S90					15	U BAR ES
252	TR	BF		400	4			2	20M	S	1125							21	TLL ES
253	TR	BF		400	2			2	20M	H	457	305	565	20D				16	L BAR ES
254	TR	BF		400		1150	150	2	20M	H	457	305	565	20D				73	L BAR ES
255	TR	BF		400	5				20M	S	3925							46	TOP LW BAR
256	TR	BF		400	5				20M	S	3925							46	TOP SHORT BAR LW
257	GI	Segment: ITEM NO: D25 Sub-Segment: EX P3/NEW P4 - GALV																	
258	MT	GRAB BARS																	
259	TR	BF		G400	17			2*2	20M	H	381	203	533					179	L SHAPE ES TH BAR
260	GI	Segment: ITEM NO: D53 Sub-Segment: DECK SPAN - 1																	
261	MT	REF DWG: S-146 & REINFORCEMNET DETAIL - S-151																	
262	TR	LS		400		14350	150		25M	H	4010	400	400		1	40D	9000	1,831	BLL
263	TR	LS		400		4010	200		20M	H	14350	400	400		1	40D	9000	825	BUL
264	TR	LS		400		4010	200		20M	H	14350	400	400		1	40D	9000	825	TLL
265	TR	LS		400		14350	150		15M	H	4010	400	400		1	40D	9000	733	TUL
266	TR	BF		400		4010	200	2	15M	H	40D	400	40D					116	U BAR ES
267	TR	BF		400	1				15M	H	36750	8S90						61	U BAR HOLD
268	GI	Segment: ITEM NO: D53 Sub-Segment: DECK SPAN - 1 - CURB																	
269	MT	REF DWG: S-146 & REINFORCEMNET DETAIL - S-151																	
270	MT	TOP OF CURB: 308.966 & 309.006 - TOF DECK: 308.168 & 308.097																	
271	TR	BF		400		14350	150	2*2	15M	H	S90	400	40D					792	DWLS EF ES
272	TR	BF		400		14350	150	2	15M	H	40D	519	300	725	40D			860	VER U BAR ES
273	TR	LS		400		850	200	2*2	20M	H	14350	S90	S90		1	40D	9000	880	EF ES
274	TR	LS		400	2			2	20M	H	14350	850	850		1	40D	9000	159	TOP ES
275	GI	Segment: ITEM NO: D53 Sub-Segment: DECK SPAN - 6																	
276	MT	REF DWG: S-146 & REINFORCEMNET DETAIL - S-151																	
277	TR	LS		400		14350	150		25M	H	4010	400	400		1	40D	9000	1,831	BLL
278	TR	LS		400		4010	200		20M	H	14350	400	400		1	40D	9000	825	BUL
279	TR	LS		400		4010	200		20M	H	14350	400	400		1	40D	9000	825	TLL
280	TR	LS		400		14350	150		15M	H	4010	400	400		1	40D	9000	733	TUL
281	TR	BF		400		4010	200	2	15M	H	40D	400	40D					116	U BAR ES
282	TR	BF		400	1				15M	H	36750	8S90						61	U BAR HOLD
283	GI	Segment: ITEM NO: D53 Sub-Segment: DECK SPAN - 6 - CURB																	
284	MT	REF DWG: S-146 & REINFORCEMNET DETAIL - S-151																	
285	MT	TOP OF CURB: 308.611 & 308.651 - TOF DECK: 307.780 & 307.851																	
286	TR	BF		400		14350	150	2*2	15M	H	S90	400	40D					792	DWLS EF ES
287	TR	BF		400		14350	150	2	15M	H	40D	519	300	725	40D			860	VER U BAR ES
288	TR	LS		400		800	200	2*2	20M	H	14350	S90	S90		1	40D	9000	733	EF ES
289	TR	LS		400	2			2	20M	H	14350	800	800		1	40D	9000	158	TOP ES
290	GI	Segment: ITEM NO: D54 Sub-Segment: DECK SPAN - 2																	
291	MT	REF DWG: S-147 & REINFORCEMNET DETAIL - S-151																	
292	TR	LS		400		25000	150		25M	H	4010	400	400		1	40D	9000	3,172	BLL
293	TR	LS		400		4010	200		20M	H	25000	400	400		1	40D	9000	1,418	BUL
294	TR	LS		400		4010	200		20M	H	25000	400	400		1	40D	9000	1,418	TLL
295	TR	LS		400		25000	150		15M	H	4010	400	400		1	40D	9000	1,269	TUL

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Kgs	Notes
296	TR	BF		400		4010	200	2	15M	H	40D	400	40D					116	U BAR ES
297	TR	BF		400	1				15M	H	58025	8S90						94	U BAR HOLD
298	GI	Segment: ITEM NO: D54 Sub-Segment: DECK SPAN - 2 - CURB																	
299	MT	REF DWG: S-147 & REINFORCEMNET DETAIL - S-151																	
300	MT	TOP OF CURB: 308.897 & 308.293 - TOF DECK: 308.966 & 308.169																	
301	TR	BF		400		25000	150	2*2	15M	H	S90	400	40D					1,372	DWLS EF ES
302	TR	BF		400		14350	150	2	15M	H	40D	519	300	725	40D			860	VER U BAR ES
303	TR	LS		400		700	200	2*2	20M	H	25000	S90	S90		1	40D	9000	1,272	EF ES
304	TR	LS		400	2			2	20M	H	25000	700	700		1	40D	9000	271	TOP ES
305	GI	Segment: ITEM NO: D54 Sub-Segment: DECK SPAN - 5																	
306	MT	REF DWG: S-150 & REINFORCEMNET DETAIL - S-151																	
307	TR	LS		400		25000	150		25M	H	4010	400	400		1	40D	9000	3,172	BLL
308	TR	LS		400		4010	200		20M	H	25000	400	400		1	40D	9000	1,418	BUL
309	TR	LS		400		4010	200		20M	H	25000	400	400		1	40D	9000	1,418	TLL
310	TR	LS		400		25000	150		15M	H	4010	400	400		1	40D	9000	1,269	TUL
311	TR	BF		400		4010	200	2	15M	H	40D	400	40D					116	U BAR ES
312	TR	BF		400	1				15M	H	58025	8S90						94	U BAR HOLD
313	GI	Segment: ITEM NO: D54 Sub-Segment: DECK SPAN - 5 - CURB																	
314	MT	REF DWG: S-150 & REINFORCEMNET DETAIL - S-151																	
315	MT	TOP OF CURB: 308.361 & 308.720 - TOF DECK: 307.852 & 307.976																	
316	TR	BF		400		25000	150	2*2	15M	H	S90	400	40D					1,372	DWLS EF ES
317	TR	BF		400		14350	150	2	15M	H	40D	519	300	725	40D			860	VER U BAR ES
318	TR	LS		400		625	200	2*2	20M	H	25000	S90	S90		1	40D	9000	1,272	EF ES
319	TR	LS		400	2			2	20M	H	25000	625	625		1	40D	9000	269	TOP ES
320	GI	Segment: ITEM NO: D55 Sub-Segment: DECK SPAN - 3																	
321	MT	REF DWG: S-148 & REINFORCEMNET DETAIL - S-151																	
322	TR	LS		400		31700	150		25M	H	4010	400	400		1	40D	9000	4,021	BLL
323	TR	LS		400		4010	200		20M	H	31700	400	400		1	40D	9000	1,805	BUL
324	TR	LS		400		4010	200		20M	H	31700	400	400		1	40D	9000	1,805	TLL
325	TR	LS		400		31700	150		15M	H	4010	400	400		1	40D	9000	1,609	TUL
326	TR	BF		400		4010	200	2	15M	H	40D	400	40D					116	U BAR ES
327	TR	LS		400	1				15M	H	71450	8S90			1	40D	9000	123	U BAR HOLD
328	GI	Segment: ITEM NO: D55 Sub-Segment: DECK SPAN - 3 - CURB																	
329	MT	REF DWG: S-148 & REINFORCEMNET DETAIL - S-151																	
330	MT	TOP OF CURB: 308.809 & 308.896 - TOP OF DECK: 308.135 & 308.293																	
331	TR	BF		400		31700	150	2*2	15M	H	S90	400	40D					1,739	DWLS EF ES
332	TR	BF		400		14350	150	2	15M	H	40D	519	300	725	40D			860	VER U BAR ES
333	TR	LS		400		650	200	2*2	20M	H	31700	S90	S90		1	40D	9000	1,624	EF ES
334	TR	LS		400	2			2	20M	H	31700	650	650		1	40D	9000	333	TOP ES
335	GI	Segment: ITEM NO: D55 Sub-Segment: DECK SPAN - 4																	
336	MT	REF DWG: S-149 & REINFORCEMNET DETAIL - S-151																	
337	TR	LS		400		31700	150		25M	H	4010	400	400		1	40D	9000	4,021	BLL
338	TR	LS		400		4010	200		20M	H	31700	400	400		1	40D	9000	1,805	BUL
339	TR	LS		400		4010	200		20M	H	31700	400	400		1	40D	9000	1,805	TLL
340	TR	LS		400		31700	150		15M	H	4010	400	400		1	40D	9000	1,609	TUL
341	TR	BF		400		4010	200	2	15M	H	40D	400	40D					116	U BAR ES
342	TR	LS		400	1				15M	H	71450	8S90			1	40D	9000	123	U BAR HOLD
343	GI	Segment: ITEM NO: D55 Sub-Segment: DECK SPAN - 4 CURB																	
344	MT	REF DWG: S-149 & REINFORCEMNET DETAIL - S-151																	
345	MT	TOP OF CURB: 308.720 & 308.808 - TOP OF DECK: 307.977 & 308.135																	
346	TR	BF		400		31700	150	2*2	15M	H	S90	400	40D					1,739	DWLS EF ES
347	TR	BF		400		14350	150	2	15M	H	40D	519	300	725	40D			860	VER U BAR ES
348	TR	LS		400		725	200	2*2	20M	H	31700	S90	S90		1	40D	9000	1,624	EF ES
349	TR	LS		400	2			2	20M	H	31700	725	725		1	40D	9000	334	TOP ES
350	GI	Segment: STANDEE																	
351	MT	PIER NO:1																	
352	TR	BF		400	45				10M	L	450	1650	300	1650	450			159	STANDEE
353	MT	PIER NO:5																	
354	TR	BF		400	36				10M	L	450	1650	300	1650	450			127	STANDEE

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Line	Mat	Func	Placing	Grd	Qty	Span	Spcg	Mult	Size	Cls	L1	L2	L3	L4	L5	Lap	Stock	Kgs	Notes
355	GI	Segment: ITEM NO: D26 Sub-Segment: DRILL DWLS INTO EXIST. STRUCTURE																	
356	MT	EXISTING PIER No. 1/NEW PIER No. 2 - REF DWG: S-112																	
357	MT	FOOTING																	
358	TR	BF		400		27150	600		25M	S	1000							184	CONNECTOR DRILL
359	TR	BF		400		27150	600		25M	S	1400							258	CONNECTOR DRILL
360	TR	BF		400	2			4	25M	S	650	40D						52	CONNECTOR DRILL
361	MT	EXISTING PIER No. 2/NEW PIER No. 3 - REF DWG: S-113																	
362	TR	BF		400		27150	600		25M	S	1000							184	CONNECTOR DRILL
363	TR	BF		400		27150	600		25M	S	1400							258	CONNECTOR DRILL
364	TR	BF		400	2			4	25M	S	650	40D						52	CONNECTOR DRILL
365	MT	EXISTING PIER No. 3/NEW PIER No. 4 - REF DWG: S-114																	
366	TR	BF		400		27150	600		25M	S	1000							184	CONNECTOR DRILL
367	TR	BF		400		27150	600		25M	S	1400							258	CONNECTOR DRILL
368	TR	BF		400	2			4	25M	S	650	40D						52	CONNECTOR DRILL
369	MT	EXISTING PIER No. 1/NEW PIER No. 2 - REF DWG: S-121																	
370	MT	REF SEC: F/S-121																	
371	TR	BF		400	690				20M	H	S90	300	400					1,495	DRILL DWLS
372	MT	REF SEC: E/S-121																	
373	TR	BF		400	621				20M	H	S90	300	400					1,345	DRILL DWLS
374	MT	REF SEC: D/S-121																	
375	TR	BF		400	945				20M	H	S90	300	400					2,047	DRILL DWLS
376	MT	EXISTING PIER No. 2/NEW PIER No. 3 - REF DWG: S-123																	
377	MT	REF SEC: F/S-121																	
378	TR	BF		400	690				20M	H	S90	300	400					1,495	DRILL DWLS
379	MT	REF SEC: E/S-121																	
380	TR	BF		400	621				20M	H	S90	300	400					1,345	DRILL DWLS
381	MT	REF SEC: D/S-121																	
382	TR	BF		400	945				20M	H	S90	300	400					2,047	DRILL DWLS
383	MT	EXISTING PIER No. 3/NEW PIER No. 4 - REF DWG: S-125																	
384	MT	REF SEC: F/S-121																	
385	TR	BF		400	690				20M	H	S90	300	400					1,495	DRILL DWLS
386	MT	REF SEC: E/S-121																	
387	TR	BF		400	621				20M	H	S90	300	400					1,345	DRILL DWLS
388	MT	REF SEC: D/S-121																	
389	TR	BF		400	945				20M	H	S90	300	400					2,047	DRILL DWLS

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: ITEM NO: D11

Total for PILE CAP - 1

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	409	0	0	409	0
20M	5,246	1,126	4,120	0	482
30M	7,865	0	7,865	0	407
	13,520	1,126	11,985	409	889

Total for PILE CAP - 5

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	307	0	0	307	0
20M	4,806	933	3,873	0	455
30M	6,951	0	6,951	0	305
	12,064	933	10,824	307	760

Total for PIER - P1

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	1,245	637	608	0	0
25M	2,893	0	2,893	0	2,893
35M	6,934	6,934	0	0	0
	11,072	7,571	3,501	0	2,893

Total for PIER - P1 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	147	0	147	0	0
	147	0	147	0	0

Total for PIER - P5

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	1,196	600	596	0	0
25M	3,132	0	3,132	0	3,132
35M	7,439	7,439	0	0	0
	11,767	8,039	3,728	0	3,132

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Total for PIER - P5 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Total for Segment: ITEM NO: D11

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	716	0	0	716	0
20M	12,493	3,296	9,197	0	937
25M	6,025	0	6,025	0	6,025
30M	14,816	0	14,816	0	712
35M	14,373	14,373	0	0	0
	48,423	17,669	30,038	716	7,674
** Grade 400, Galvanized **					
20M	326	0	326	0	0
	326	0	326	0	0
** Grand Totals **					
15M	716	0	0	716	0
20M	12,819	3,296	9,523	0	937
25M	6,025	0	6,025	0	6,025
30M	14,816	0	14,816	0	712
35M	14,373	14,373	0	0	0
	48,749	17,669	30,364	716	7,674

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: ITEM NO: D10

Total for COUPLER - PIER 1

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNECTOR - 20M - BLACK	CONNECTOR - 20M - BLACK	50.000	Pcs	=	50.000	Pcs	@	0.000 / Pcs	= $	0.00	0 Kgs
Subtotal									= $	0.00	0 Kgs
Grand Total									= $	0.00	0 Kgs

Total for COUPLER - PIER P5

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNECTOR - 20M - BLACK	CONNECTOR - 20M - BLACK	50.000	Pcs	=	50.000	Pcs	@	0.000 / Pcs	= $	0.00	0 Kgs
Subtotal									= $	0.00	0 Kgs
Grand Total									= $	0.00	0 Kgs

Total for Segment: ITEM NO: D10

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNECTOR - 20M - BLACK	CONNECTOR - 20M - BLACK	100.000	Pcs	=	100.000	Pcs	@	0.000 / Pcs	= $	0.00	0 Kgs
Subtotal									= $	0.00	0 Kgs
Grand Total									= $	0.00	0 Kgs

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: ITEM NO: D20

Total for EX P1/NEW P2 FOOTING

**** Rebar Weight Summary (Kgs) ****

** Grade 400, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
20M	5,955	2,185	3,770	0	1,717
25M	397	397	0	0	0
	6,352	2,582	3,770	0	1,717

Total for EX P2/NEW P3 FOOTING

**** Rebar Weight Summary (Kgs) ****

** Grade 400, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
20M	7,076	2,580	4,496	0	2,056
25M	397	397	0	0	0
	7,473	2,977	4,496	0	2,056

Total for EX P3/NEW P4 FOOTING

**** Rebar Weight Summary (Kgs) ****

** Grade 400, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
20M	7,393	2,778	4,615	0	2,267
25M	397	397	0	0	0
	7,790	3,175	4,615	0	2,267

Total for Segment: ITEM NO: D20

**** Rebar Weight Summary (Kgs) ****

** Grade 400, Black **

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
20M	20,424	7,543	12,881	0	6,040
25M	1,191	1,191	0	0	0
	21,615	8,734	12,881	0	6,040

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: ITEM NO: D21

Total for COUPLER - EX P1/NEW P2

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNCETOR - 25M - BLACK	CONNCETOR - 25M - BLACK	100.000	Pcs	=	100.000	Pcs	@	0.000 / Pcs	= $	0.00	0 Kgs
Subtotal									= $	0.00	0 Kgs
Grand Total									= $	0.00	0 Kgs

Total for COUPLER - EX P2/NEW P3

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNCETOR - 25M - BLACK	CONNCETOR - 25M - BLACK	100.000	Pcs	=	100.000	Pcs	@	0.000 / Pcs	= $	0.00	0 Kgs
Subtotal									= $	0.00	0 Kgs
Grand Total									= $	0.00	0 Kgs

Total for COUPLER - EX P3/NEW P4

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNCETOR - 25M - BLACK	CONNCETOR - 25M - BLACK	100.000	Pcs	=	100.000	Pcs	@	0.000 / Pcs	= $	0.00	0 Kgs
Subtotal									= $	0.00	0 Kgs
Grand Total									= $	0.00	0 Kgs

Total for Segment: ITEM NO: D21

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNCETOR - 25M - BLACK	CONNCETOR - 25M - BLACK	300.000	Pcs	=	300.000	Pcs	@	0.000 / Pcs	= $	0.00	0 Kgs
Subtotal									= $	0.00	0 Kgs
Grand Total									= $	0.00	0 Kgs

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: ITEM NO: D25

Total for EX P1/NEW P2

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	16,539	11,365	5,174	0	7,657
	16,539	11,365	5,174	0	7,657

Total for EX P1/NEW P2 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Total for EX P2/NEW P3

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	16,477	11,407	5,070	0	7,657
	16,477	11,407	5,070	0	7,657

Total for EX P2/NEW P3 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Total for EX P3/NEW P4

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	16,539	11,365	5,174	0	7,657
	16,539	11,365	5,174	0	7,657

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Total for EX P3/NEW P4 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Total for Segment: ITEM NO: D25

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	49,555	34,137	15,418	0	22,971
	49,555	34,137	15,418	0	22,971
** Grade 400, Galvanized **					
20M	537	0	537	0	0
	537	0	537	0	0
** Grand Totals **					
20M	50,092	34,137	15,955	0	22,971
	50,092	34,137	15,955	0	22,971

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: ITEM NO: D53

Total for DECK SPAN - 1

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	910	0	910	0	61
20M	1,650	0	1,650	0	932
25M	1,831	0	1,831	0	0
	4,391	0	4,391	0	993

Total for DECK SPAN - 1 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,652	0	1,652	0	0
20M	1,039	0	1,039	0	594
	2,691	0	2,691	0	594

Total for DECK SPAN - 6

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	910	0	910	0	61
20M	1,650	0	1,650	0	932
25M	1,831	0	1,831	0	0
	4,391	0	4,391	0	993

Total for DECK SPAN - 6 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,652	0	1,652	0	0
20M	891	0	891	0	509
	2,543	0	2,543	0	509

Total for Segment: ITEM NO: D53

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	5,124	0	5,124	0	122
20M	5,230	0	5,230	0	2,967
25M	3,662	0	3,662	0	0
	14,016	0	14,016	0	3,089

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

Segment: ITEM NO: D54

Total for DECK SPAN - 2

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,479	0	1,479	0	94
20M	2,834	932	1,902	0	1,864
25M	3,172	0	3,172	0	0
	7,485	932	6,553	0	1,958

Total for DECK SPAN - 2 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,232	0	2,232	0	0
20M	1,543	594	949	0	1,527
	3,775	594	3,181	0	1,527

Total for DECK SPAN - 5

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,479	0	1,479	0	94
20M	2,834	932	1,902	0	1,864
25M	3,172	0	3,172	0	0
	7,485	932	6,553	0	1,958

Total for DECK SPAN - 5 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,232	0	2,232	0	0
20M	1,542	594	948	0	1,527
	3,774	594	3,180	0	1,527

Total for Segment: ITEM NO: D54

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	7,422	0	7,422	0	188
20M	8,753	3,052	5,701	0	6,782
25M	6,344	0	6,344	0	0
	22,519	3,052	19,467	0	6,970

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

Segment: ITEM NO: D55

Total for DECK SPAN - 3

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,848	113	1,735	0	113
20M	3,610	1,866	1,744	0	2,798
25M	4,021	0	4,021	0	0
	9,479	1,979	7,500	0	2,911

Total for DECK SPAN - 3 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,599	0	2,599	0	0
20M	1,958	1,018	940	0	1,527
	4,557	1,018	3,539	0	1,527

Total for DECK SPAN - 4

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,848	113	1,735	0	113
20M	3,610	1,866	1,744	0	2,798
25M	4,021	0	4,021	0	0
	9,479	1,979	7,500	0	2,911

Total for DECK SPAN - 4 CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,599	0	2,599	0	0
20M	1,959	1,018	941	0	1,527
	4,558	1,018	3,540	0	1,527

Total for Segment: ITEM NO: D55

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	8,894	226	8,668	0	226
20M	11,137	5,768	5,369	0	8,650
25M	8,042	0	8,042	0	0
	28,073	5,994	22,079	0	8,876

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: STANDEE (Excluded)

Total for None

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
10M	286	0	0	286	0
	286	0	0	286	0

Total for Segment: STANDEE (Excluded)

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
10M	286	0	0	286	0
	286	0	0	286	0

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Segment: ITEM NO: D26

Total for DRILL DWLS INTO EXIST. STRUCTURE

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 400, Black **		
20M	14,661	0	14,661	0	0
25M	1,482	1,482	0	0	0
	16,143	1,482	14,661	0	0

Total for Segment: ITEM NO: D26

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
			** Grade 400, Black **		
20M	14,661	0	14,661	0	0
25M	1,482	1,482	0	0	0
	16,143	1,482	14,661	0	0

©2026 UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D11

Sub-Segment: PILE CAP - 1

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	409	0	0	409	0
20M	5,246	1,126	4,120	0	482
30M	7,865	0	7,865	0	407
	13,520	1,126	11,985	409	889

Sub-Segment: PILE CAP - 5

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	307	0	0	307	0
20M	4,806	933	3,873	0	455
30M	6,951	0	6,951	0	305
	12,064	933	10,824	307	760

Sub-Segment: PIER - P1

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	1,245	637	608	0	0
25M	2,893	0	2,893	0	2,893
35M	6,934	6,934	0	0	0
	11,072	7,571	3,501	0	2,893

Sub-Segment: PIER - P1 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	147	0	147	0	0
	147	0	147	0	0

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D11

Sub-Segment: PIER - P5

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	1,196	600	596	0	0
25M	3,132	0	3,132	0	3,132
35M	7,439	7,439	0	0	0
	11,767	8,039	3,728	0	3,132

Sub-Segment: PIER - P5 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Total for Segment: ITEM NO: D11

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	716	0	0	716	0
20M	12,493	3,296	9,197	0	937
25M	6,025	0	6,025	0	6,025
30M	14,816	0	14,816	0	712
35M	14,373	14,373	0	0	0
	48,423	17,669	30,038	716	7,674
** Grade 400, Galvanized **					
20M	326	0	326	0	0
	326	0	326	0	0
** Grand Totals **					
15M	716	0	0	716	0
20M	12,819	3,296	9,523	0	937
25M	6,025	0	6,025	0	6,025
30M	14,816	0	14,816	0	712
35M	14,373	14,373	0	0	0
	48,749	17,669	30,364	716	7,674

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D20

Sub-Segment: EX P1/NEW P2 FOOTING

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	5,955	2,185	3,770	0	1,717
25M	397	397	0	0	0
	6,352	2,582	3,770	0	1,717

Sub-Segment: EX P2/NEW P3 FOOTING

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	7,076	2,580	4,496	0	2,056
25M	397	397	0	0	0
	7,473	2,977	4,496	0	2,056

Sub-Segment: EX P3/NEW P4 FOOTING

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	7,393	2,778	4,615	0	2,267
25M	397	397	0	0	0
	7,790	3,175	4,615	0	2,267

Total for Segment: ITEM NO: D20

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	20,424	7,543	12,881	0	6,040
25M	1,191	1,191	0	0	0
	21,615	8,734	12,881	0	6,040

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D25

Sub-Segment: EX P1/NEW P2

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	16,539	11,365	5,174	0	7,657
	16,539	11,365	5,174	0	7,657

Sub-Segment: EX P1/NEW P2 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Sub-Segment: EX P2/NEW P3

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	16,477	11,407	5,070	0	7,657
	16,477	11,407	5,070	0	7,657

Sub-Segment: EX P2/NEW P3 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Sub-Segment: EX P3/NEW P4

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	16,539	11,365	5,174	0	7,657
	16,539	11,365	5,174	0	7,657

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D25

Sub-Segment: EX P3/NEW P4 - GALV

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Galvanized **					
20M	179	0	179	0	0
	179	0	179	0	0

Total for Segment: ITEM NO: D25

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	49,555	34,137	15,418	0	22,971
	49,555	34,137	15,418	0	22,971
** Grade 400, Galvanized **					
20M	537	0	537	0	0
	537	0	537	0	0
** Grand Totals **					
20M	50,092	34,137	15,955	0	22,971
	50,092	34,137	15,955	0	22,971

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D53

Sub-Segment: DECK SPAN - 1

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	910	0	910	0	61
20M	1,650	0	1,650	0	932
25M	1,831	0	1,831	0	0
	4,391	0	4,391	0	993

Sub-Segment: DECK SPAN - 1 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,652	0	1,652	0	0
20M	1,039	0	1,039	0	594
	2,691	0	2,691	0	594

Sub-Segment: DECK SPAN - 6

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	910	0	910	0	61
20M	1,650	0	1,650	0	932
25M	1,831	0	1,831	0	0
	4,391	0	4,391	0	993

Sub-Segment: DECK SPAN - 6 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,652	0	1,652	0	0
20M	891	0	891	0	509
	2,543	0	2,543	0	509

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Rebar Sub-Segment Summary

Segment: ITEM NO: D53

Total for Segment: ITEM NO: D53

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	5,124	0	5,124	0	122
20M	5,230	0	5,230	0	2,967
25M	3,662	0	3,662	0	0
	14,016	0	14,016	0	3,089

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D54

Sub-Segment: DECK SPAN - 2

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,479	0	1,479	0	94
20M	2,834	932	1,902	0	1,864
25M	3,172	0	3,172	0	0
	7,485	932	6,553	0	1,958

Sub-Segment: DECK SPAN - 2 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,232	0	2,232	0	0
20M	1,543	594	949	0	1,527
	3,775	594	3,181	0	1,527

Sub-Segment: DECK SPAN - 5

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,479	0	1,479	0	94
20M	2,834	932	1,902	0	1,864
25M	3,172	0	3,172	0	0
	7,485	932	6,553	0	1,958

Sub-Segment: DECK SPAN - 5 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,232	0	2,232	0	0
20M	1,542	594	948	0	1,527
	3,774	594	3,180	0	1,527

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Rebar Sub-Segment Summary

Segment: ITEM NO: D54

Total for Segment: ITEM NO: D54

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	7,422	0	7,422	0	188
20M	8,753	3,052	5,701	0	6,782
25M	6,344	0	6,344	0	0
	22,519	3,052	19,467	0	6,970

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D55

Sub-Segment: DECK SPAN - 3

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,848	113	1,735	0	113
20M	3,610	1,866	1,744	0	2,798
25M	4,021	0	4,021	0	0
	9,479	1,979	7,500	0	2,911

Sub-Segment: DECK SPAN - 3 - CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,599	0	2,599	0	0
20M	1,958	1,018	940	0	1,527
	4,557	1,018	3,539	0	1,527

Sub-Segment: DECK SPAN - 4

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	1,848	113	1,735	0	113
20M	3,610	1,866	1,744	0	2,798
25M	4,021	0	4,021	0	0
	9,479	1,979	7,500	0	2,911

Sub-Segment: DECK SPAN - 4 CURB

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	2,599	0	2,599	0	0
20M	1,959	1,018	941	0	1,527
	4,558	1,018	3,540	0	1,527

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Rebar Sub-Segment Summary

Segment: ITEM NO: D55

Total for Segment: ITEM NO: D55

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
15M	8,894	226	8,668	0	226
20M	11,137	5,768	5,369	0	8,650
25M	8,042	0	8,042	0	0
	28,073	5,994	22,079	0	8,876

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: STANDEE (Excluded)

Sub-Segment: None

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
10M	286	0	0	286	0
	286	0	0	286	0

Total for Segment: STANDEE (Excluded)

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
10M	286	0	0	286	0
	286	0	0	286	0

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

Rebar Sub-Segment Summary

Segment: ITEM NO: D26

Sub-Segment: DRILL DWLS INTO EXIST. STRUCTURE

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	14,661	0	14,661	0	0
25M	1,482	1,482	0	0	0
	16,143	1,482	14,661	0	0

Total for Segment: ITEM NO: D26

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
** Grade 400, Black **					
20M	14,661	0	14,661	0	0
25M	1,482	1,482	0	0	0
	16,143	1,482	14,661	0	0

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Estimate Totals

**** Rebar Weight Summary (Kgs) ****

Size	Total	Straight	HEAVY	LIGHT	Stock Wgt
**** Grade 400, Black ****					
15M	22,156	226	21,214	716	536
20M	122,253	53,796	68,457	0	48,347
25M	26,746	2,673	24,073	0	6,025
30M	14,816	0	14,816	0	712
35M	14,373	14,373	0	0	0
	200,344	71,068	128,560	716	55,620
**** Grade 400, Galvanized ****					
20M	863	0	863	0	0
	863	0	863	0	0
**** Grand Totals ****					
15M	22,156	226	21,214	716	536
20M	123,116	53,796	69,320	0	48,347
25M	26,746	2,673	24,073	0	6,025
30M	14,816	0	14,816	0	712
35M	14,373	14,373	0	0	0
	201,207	71,068	129,423	716	55,620

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED

#1 - Bid Date: ASAP

Estimate Totals

**** Miscellaneous Item Summary ****

** Undefined Item Class - 'CONNECTOR'
**

CONNCETOR - 25M - BLACK	CONNCETOR - 25M - BLACK	300.000	Pcs	=	300.000	Pcs	@	0.000	/ Pcs	= $	0.00	0 Kgs
CONNECTOR - 20M - BLACK	CONNECTOR - 20M - BLACK	100.000	Pcs	=	100.000	Pcs	@	0.000	/ Pcs	= $	0.00	0 Kgs
Subtotal										= $	0.00	0 Kgs
Grand Total										= $	0.00	0 Kgs

©2026 aSa UNAUTHORIZED REPRODUCTION PROHIBITED